





EXTERNAL DOORS CREO | DECO | NOVA

GENERAL OVERVIEW	4 - 7
CREO COLLECTION	8 - 37
DECO COLLECTION	38 - 55
NOVA COLLECTION	56 - 77
AVAILABLE MODELS	78 - 87
INSPIRATIONS	88 - 107

www.wisniowski.eu




Choose a door for you

The element of your home you interact with most often is the door. All the guests see it, too. The fence and the façade give the first impression from the outside, whereas the door is a part of two realms – the outside and inside of your home. This is what makes the choice especially important, as the door has to visually connect the interior with the building façade and its surroundings.

Each building is different, so we made it possible to fully customize your WIŚNIOWSKI door. This way, you not only take care of the comfort and safety of your family, but you highlight the uniqueness of your home.


Aluminium **CREO door with** a double-sided flush panel

The whole face of the door leaf (inside and outside) is covered with top-quality aluminium sheets. The surface of the leaf is aligned with the surface of the frame, creating a flush, consistent, and elegant surface on both sides. Thanks to a special leaf infill and high-quality aluminium profiles, the Ud thermal transmittance factor of the CREO door is as low as 0.8 W/m 2 (for the door size of 1,400 x 2,500 mm with a solid panel).



NOVA external door with a steel leaf and an aluminium frame

The NOVA door structure is formed by an aluminium opening frame with a thermal break 77 mm thick. The leaf is made of steel sheet and infilled with an extruded PU foam board with a double chamber glass unit.



Technical data











Door type	CREO	DECO Plus	DECO Basic	DECO Light	NOVA
System	MB 86 SI+	MB 86 ST	MB 70	MB 60	AW
Installation depth	77 mm	77 mm	70 mm	60 mm	77 mm
Panel type	double-sided solid aluminium flush panel 77 mm thick	double-sided aluminium insert panel 45 mm thick	double-sided aluminium insert panel 45 mm thick	double-sided aluminium insert panel 35 mm thick	leaf 78 mm thick made of stainless steel, infilled with extruded PU foam and a laminated wood rail and stile
Type of glass panes in the panel	three-chamber safety glass 77 mm thick, U=0.6 W/m²K with a warm edge as standard	two-chamber safety glass 45 mm thick, U=0.6 W/m²K	two-chamber safety glass 45 mm thick, U=0.6 W/m²K	two-chamber safety glass 35 mm thick, U=1.0 W/m²K	two-chamber safety glass 72 mm thick, U=0.5 W/m²K with a warm edge as standard
Thermal insulation	Ud from 0.8 W/m ² K for doors with reference dimensions of 1,400 x 2,500 mm	Ud from 1.2 W/m ² K for doors with reference dimensions of 1,250 x 2,200 mm	Ud from 1.4 W/m²K for doors with reference dimensions of 1,250 x 2,200 mm	Ud from 1.8 W/m ² K for doors with reference dimen- sions of 1,250 x 2,200 mm	Ud from 0.87 W/m ² K for solid doors with external dimensions of 1,180 x 2,350 mm
Maximum dimensions	up to 1,400 x 2,500 mm	up to 1,250 x 2,200 mm	up to 1,250 x 2,200 mm	up to 1,250 x 2,200 mm	up to 1,180 x 2,350 mm

Your custom CRE(O) ated door

The design of the CREO door stands out thanks to its simplicity and elegance. It reflects the passion for modern trends in architecture and at the same time easily fits in with various approaches to decoration. What inspired the concept of the **CREO 300** was the observation of our customers' tastes. It is a design tailored to each user's individual vision. This unconventional approach to design allows you to become the creator of your own surroundings.







Welcome to the world of CREO doors

External aluminium doors by WIŚNIOWSKI are a perfect solution for customers who value originality and unlimited possibilities of choice adapted to their own vision of their home. WIŚNIOWSKI doors provide freedom to create an individual and unique model. This is our creative approach to the individual needs of our customers.

WIŚNIOWSKI doors are an optimal solution that combines excellent thermal parameters, as well as noise and burglary protection with functionality and beautiful design.





BURGLARY PROTECTION

SAFETY

The RC2 and RC3 anti-burglary classification of the CREO doors certified by IFT Rosenheim Institute.



THERMAL INSULATION

THERMAL INSULATION

The thermal transmittance factor Ud is $0.8 \text{ W/m}^2\text{K}$ for the CREO door with reference dimensions of 1,400 x 2,500 mm with a solid panel.



SOUND ABSORPTION

SOUND INSULATION

The CREO doors reduce noise from the outside to provide acoustic comfort.



RIGIDITY

RIGIDITY

CREO doors are certified for the 3^{rd} climatic class according to PN-EN 12219:2001. Tested for E and D climates.



DESIGN

DESIGN

CREO doors are about universal design and the capability to create an individual product based on the 300 door.



LUXURY CLASS

LUXURY CLASS

Standard CREO aluminium doors include high-quality materials as standard, which guarantees safety, security, and durability and places them among products of the highest class in this segment.



WARRANT

WARRANTY


The warranty for the CREO doors is 5 years. Door hardware and accessories are covered by a 24-month warranty.



ACCESS CONTROL

ACCESS CONTROL

WIŚNIOWSKI entrance doors may be fitted with a wide range of solutions providing full control over home access.



CREO doors

- **Aluminium door leaf** 77 mm thick with a double-sided flush panel
- The leaf frame and the opening frame are made of four-chamber aluminium sections with a thermal break
- **Liverpool I** handle as standard, ten other types of handles in several colours are available as an option
- 4 DuoSecure automatic three-point lock without the day latch function as standard, electric locks available as an option
- Day latch function button (inside activates the function, and outside unlocks the lock).

 The external button can be installed in the lining or in the pull
- 6 Stainless steel decorative motifs as standard, optionally in copper colour, mat structure and DECOR colours. film coated or black anodized
- 7 Stainless steel pulls or in black
- Threshold with a thermal break and an 80 mm high thermal widening as standard
- 9 Three-chamber glass, 77 mm thick, U=0.6 W/m²K with a warm edge as standard
- **Roller hinges** as standard or optionally 3D adjustable hinges
- 11 Certified anti-burglary lock cylinder with an emergency function, five keys and two service keys as standard. Lock cylinders are available in black colour as an option
- **12** Anti-burglary bolts (optional accessory)

- Milled patterns with the option of matching to ribs in the sectional door
- Electronic spy hole with a doorbell (optional accessory)
- **15** Access control systems (optional accessory)
- Door closer concealed in the door leaf (optional accessory)
- **Stainless steel kicker plate** installed in the bottom section of the panel





Colour: Modern Black (RAL 9005) Pull: Q5 40x20



Colour: HI COMFORT GRAY (RAL 9006) Pull: Q5 40x20



Colour: RAL 9003 Pull: Q10 40x20 Stainless steel kicker plate (option)





Colour: HI MODERN GRAPHITE Stainless steel strips - option Pull: Q10 40x20



Colour: RAL 3003 Pull: P10 Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)

Colour: RAL 3004 Pull: P10 Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)



Colour: Modern Black
Pull: Q5 40x40
Decorative motif: DECOR Winchester
Sidelight
Glass: 33.1 sanded (safety glass, sanded on both sides, with viewing strips)



Colour: RAL 1001 Decorative motif: RAL 1013 Pull: Q10 40x20

Colour: RAL 1015 Decorative motif: Sheffield Oak Light Pull: V1



Colour: RAL 1019 Decorative motif: black anodized Pull: Q10 40x20



Colour: HI MODERN MAROON Decorative motif: RAL 9011 Stainless steel strips – option Pull: Arco 04



Colour: Dark Oak film coating Pull: Q5 40x40







Colour: RAL 8025 Pull: Q45RX 40x20 Sidelight and toplight

Glass: 33.1 (2B2) mat safety glass



Colour: RAL 8014
Pull: PSW

Glass: 33.1 (2B2) mat safety glass

Colour: RAL 1019 Pull: Q10 40x20 Glass: 33.1 (2B2) mat safety glass 345


Colour: RAL 9001 Pull: Q5 40x40

Glass: 33.1 (2B2), mat safety glass




Colour: RAL 5003 Pull: P5, short

Glass: 33.1 (2B2) mat safety glass











401

Colour: RAL 1028 Decorative motif: black anodized

Pull: V3

Glass: 33.1 (2B2) mat safety glass

402

Colour: RAL 8019 Stainless steel strips - option

Pull: Q10 40x20

Glass: 33.1 (2B2) mat safety glass

403

Colour: RAL 8017

Decorative motif: black anodized Stainless steel strips - option

Pull: Pion

Glass: 33.1 (2B2) mat safety glass



Colour: HI WILLOW GREEN Pull: Q10 40x20 Glass: 33.1 (2B2) mat safety glass



Colour: HI ANTHRACITE
Pull: Arco 04
Glass: 33.1 (2B2) mat safety glass
Stainless steel strips – option



Colour: HI DEEP GREEN
Pull: Q5 40x40
Glass: 33.1 (2B2) mat safety glass



Colour: RAL 7038 Stainless steel strips - option Pull: Q10 40x20

Glass: 33.1 (2B2) mat safety glass

Colour: RAL 7024 Stainless steel strips - option


Pull: V3

Glass: 33.1 (2B2) mat safety glass





Opening frame colour: Modern Black Leaf colour: Ebony DECOR Pull: KA1



Opening frame colour: HI MODERN GRAPHITE Leaf colour: DECOR Winchester Pull: Q10 40x20

Opening frame colour: Modern Black Leaf colour: Ebony DECOR Pull: P10




Opening frame colour: Modern Black Leaf colour: Ebony DECOR Door handle: Liverpool III Glass: 44.2 (P2) mirror



Colour: HI DEEP GREEN
Pull: Q10 40x20
Stainless steel strips (copper)
Glass: 44.2 (P2) mirror



Colour: HI SMOKE GREEN
Door handle: Amsterdam (copper),
lock cylinder (black)
Stainless steel strips (copper)







Colour: Woodec Turner Oak Malt film coating Pull: KA1 Decorative motif: sheet painted black



Colour: Anthracite grey film coating Pull: KA1 Glass: 44.2 (P2) mirror

702



Colour: HI MODERN MAROON
Pull: KA1
Decorative motif: sheet painted in Modern Black

703

CREO door accessories




Concealed hinges - option



Roller hinges in colours matching the door colour



Sensor - option



Day latch function button on the leaf – option



Anti-burglary bolts

are an optional accessory that increases the anti-burglary properties of the door. They are installed on the hinge side of the door leaf and on the frame. A different number of sets may be used for one leaf according to the required safety level.



Door closer concealed in the door leaf – option



Thermal widening by Stropex, height 80 mm

Lock types



DuoSecure automatic three-point lock



Autotronic HB motorized three-point lock with a child safety lock - option



Multi-point electric lock: Multitronic, **Multitronic Komfort** - option



Multipoint manual lock with integrated steel hooks and bolts







Their compatibility with the smart home system is an added benefit. Get even more control over your house by controlling doors fitted with an electric lock using your mobile device.











P5○ 30 mm
580/960/2,200 mm

stainless steel

stainless steel



P10

○ 30 mm

1,200/1,600/
1,800 mm

○ 40 mm

2,000/2,200 mm

stainless steel

P10

○ 30 mm

1,200/1,600/
1,800 mm

○ 40 mm

2,000/2,200 mm

black



^{(1) –} The pull is also available with a micro-switch or sensor feature.

Pull collection



ARCO 01○ 34 mm
1,200 mm

stainless steel



ARCO 04☐ 40x20 mm

1,200 mm

stainless steel



z29 b30x30□ 30x30 mm

30x30 mm 1,200/1,400/1,600/1,800/ 2,000 mm

black



PROFILO 04

1,200/1,600/2,000 mm (1)

stainless steel



1,200/1,600/2,000 mm (1)

black (mat)



PROFILO 04 CARBON

1,200/1,600/2,000 mm

PSW_____100x5 mm
1,800/2,000 mm

stainless steel

Flush pull collection



^{(1) –} The pull is also available with a micro-switch or sensor feature.





Liverpool I colour: stainless steel split cover plate



Marseille colour: stainless steel split cover plate



Paris colour: stainless steel split cover plate



Paris I colour: stainless steel split cover plate



Stockholm colour: stainless steel split cover plate



Amsterdam colour: stainless steel split cover plate



Amsterdam I
colour: copper
split cover plate



Amsterdam I colour: brass split cover plate



Toulon colour: black split cover plate



Toulon colour: silver split cover plate



Toulon colour: old gold split cover plate



Toulon colour: titanium split cover plate



Liverpool II colour: black (gloss) split cover plate



Liverpool III colour: black (mat) split cover plate



Jupiter I colour: stainless steel (imitation) split cover plate



Jupiter I colour: black (mat) split cover plate



Neptun colour: stainless steel (imitation) split cover plate



Neptun colour: black (mat) split cover plate



Liverpool colour: titanium oblong cover plate



Liverpool colour: old gold oblong cover plate



Liverpool colour: silver oblong cover plate



colour: titanium oblong cover plate - option



colour: silver oblong cover plate - option



Liverpool SKG*** colour: silver oblong cover plate - option



Denver colour: stainless steel oblong cover plate - option



Escutcheon plate inswing door colour: stainless steel. Modern Black



outswing door colour: stainless steel. Modern Black





Sidelights, **toplights**



Right sidelight (PD)



Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + toplight (PD+GD)



Left sidelight + toplight (LD+GD)



Right sidelight + left sidelight + toplight (PD+LD+GD)



Toplight (GD)

Glass types







33.1 (2B2) safety glass (3), (4)



Stopsol brown (1)



Stopsol grey (1)



33.1 sanded (1), (2), (3), (4)



Stopsol brown (3), (4)



Stopsol grey (3), (4)



33.1 Two-way mirror

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

^{(1) –} Glass available with door leafs from 321 to 350.

^{(2) –} Safety glass, sanded on both sides with viewing strips.

^{(3) –} Glass available in sidelights and toplight.

^{(4) –} Glass available with door leaf models 401-415.

DECO door collection with an insert panel

The DECO series aluminium doors will leave a lasting impression on all your guests.


They meet high technological requirements, which is characteristic of all our aluminium doors. Their highlights include high quality of materials, safety, and durability.

With the perfected technology of implementing the insert panel in the leaf, we were able to achieve an exceptional design that makes your home entrance stand out.









DECO doors

- **Aluminium door leaf** with an insert panel with a thickness of:
 - 35 mm **DECO Light**,
 - 45 mm **DECO Basic, DECO Plus.**
- 2 The leaf frame and the opening frame are made of three-chamber aluminium sections with a thermal break
- 3 Standard double-sided Tokyo handle in 3 colours to choose from
- 4 Various types of handles and pulls (optional accessories)
- 5 DuoSecure automatic three-point lock without the day latch function as standard, electric locks available as an option
- 6 Double-sided stainless steel decorative motifs
- **Threshold** with a thermal break as standard
- 8 Two-chamber safety glass as standard
- Surface hinges as standard, concealed and roller hinges for the DECO Plus and DECO Basic doors are available as optional accessories
- **Certified** anti-burglary lock cylinder with a set of five keys as standard
- 11 Anti-burglary bolts (optional accessory)
- **Electronic spy hole with a doorbell** for the DECO Plus and DECO Basic (optional accessory)
- Access control systems (optional accessory)
- Door closer concealed in the door leaf
 DECO Plus and DECO Basic (optional accessory)







Glass: 33.1 (2B2) mat safety glass







DECO Collection







DECO Collection





DECO Collection









DECO door accessories



Concealed hinges option - DECO Plus, DECO Basic



Roller hinges in colours matching the door colour option - DECO Plus, DECO Basic



Surface hinges in colours matching the door colour



Anti-burglary bolts are additional equipment that increases anti-burglary properties of the door. They are installed on the hinge side of the door leaf and on the frame. A different number of sets may be used for one leaf according to the required safety level.



Door closer concealed in the door leaf

option - DECO Plus, DECO Basic



Door closer concealed in the leaf with a position lock option - DECO Plus, DECO Basic

Lock types



DuoSecure automatic three-point lock



Autotronic HB motorized three-point lock with a child safety lock - option



Multi-point electric lock: Multitronic, **Multitronic Komfort** - option

Electric locks are convenient and provide better safety than traditional entrance security solutions.





Their compatibility with the smart home system is an added benefit. Get even more control over your house by controlling doors fitted with an electric lock using your mobile device.



Pull collection



P1O 30 mm
620 mm

P5○ 30 mm
580/960/2,000 mm



Q5☐ 40x20 mm

1,200/1,600/1,800 mm



Q540x40 mm
1,200/1,600/1,800 mm

Handle collection



Tokyo handle colour: silver, old gold, titanium oblong cover plate



Tokyo pull colour: silver, old gold, titanium oblong cover plate – option



Amsterdam
colour: stainless steel
split cover plate
- option



Stockholmcolour: stainless steel
split cover plate
- option



Marseille colour: stainless steel split cover plate - option



Denver handle colour: stainless steel oblong cover plate – option



Denver pull colour: stainless steel oblong cover plate - option



Paris
colour: stainless steel
split cover plate
- option



Paris I
colour: stainless steel
split cover plate
- option



Liverpool I
colour: stainless steel
split cover plate
- option

Sidelights, **toplights**



Right sidelight (PD)



Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + toplight (PD+GD)



Left sidelight + toplight (LD+GD)



Right sidelight + left sidelight + toplight (PD+LD+GD)



Toplight (GD)

Glass types







Stopsol brown



Stopsol grey



44.2 (P2) safety glass (1)



33.1 sanded (2)



Stopsol brown (1)



Stopsol grey (1)

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

(1) – Glass only available in sidelights and toplights.

(2) – Safety glass, sanded on both sides, with viewing strips.

Discover NOVA

NOVA doors are aluminium and steel external doors which combine excellent technical parameters with vast decorative options. The collection includes 39 predefined models available with an extensive range of RAL mat structure colours, Decor colours, and wood effect film coatings. The standard accessories include an automatic three-point lock which – thanks to three points of action – ensures that the door resists water and wind. A high parameter of water-tightness makes it possible to install the NOVA door even in areas without roofing, without any concern for its strength and durability.









NOVA door

- Door leaf 78 mm thick steel, with a thick rebate, infilled with a PU board and a laminated wood rail and stile
- 2 Aluminium opening frame made of three-chamber sections with a thermal break 77 mm deep
- **Plastic threshold** in black colour as standard, an aluminium threshold with a thermal break is available as an optional accessory
- 4 Automatic three-point lock without the day latch function with 3 strike plates enabling simple adjustment; optionally a lock with the Autotronic electric motor
- 5 A broad range of handles and pulls made of stainless steel or in black colour
- Standard lock cylinder with 3 keys in stainless steel colour, optionally in black colour
- **7 3 hinges** adjusted in 3 planes
- 8 Anti-burglary bolts 6 pieces as standard
- Gasket in the leaf around the circumference and an additional one in the opening frame
- In the leaf double-chamber safety glass with black warm edges recessed in the leaf lining, in sidelights double-chamber safety glass with a black warm edge
- 11 Colours leaf made of galvanized and powder coated sheet in dedicated RAL colours (mat structure), also available in HI 2.0 and Decor colours, as well as with wood effect film coatings
- 12 Day latch function buttons (optional accessories)
- 13 Access control systems (optional accessories)
- **14 Door closer concealed in the door leaf** (optional accessory)





001

Colour: DECOR Titanium Pull: Q10 40x20



Colour: DECOR Concrete Stainless steel strip Decorative motif: Modern Black RAL 9005 Pull: Q10 40x20



Colour: HI Comfort Grey Decorative motif: DECOR Concrete Pull: P5





Colour: Modern Black RAL 9005 mat structure Decorative motif: DECOR Calvados Pull: Q10 40x20



011

Colour: DECOR Calvados Decorative motif: stainless steel Pull: Q45 RX



021

Colour: HI Modern Maroon Decorative motif: stainless steel Pull: P5



Colour: Quartz Decorative motif: stainless steel Pull: P5



Colour: Modern Black RAL 9005 mat structure Decorative motif: stainless steel Pull: Q10 40x40 black Glass: 44.2 (P2) mat safety glass



Colour: DECOR Winchester Decorative motif: stainless steel Pull: Q45RX

Colour: RAL 7037 mat structure Decorative motif: stainless steel Haga handle





023

Colour: DECOR Titanium Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2 (P2) mat safety glass

028

Colour: HI True Blue Decorative motif: DECOR Titanium Pull: Q5 40x20 Glass: 44.2 (P2) mat safety glass

004

Colour: RAL 5004 mat structure Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

024

Colour: DECOR Pinia Oak Decorative motif: stainless steel Pull: Q5 40x20 Glass: 44.2 (P2) mat safety glass







Colour: DECOR Golden Oak Decorative motif: Modern Black RAL 9005 mat structur Pull: P5

022

Colour: DECOR Golden Oak Decorative motif: Modern Black RAL 9005 mat structure handle: Ceres



018

Colour: Modern Black RAL 9005 Decorative motif: DECOR Golden Oak Pull: P5







Colour: RAL 7006 mat structure Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2(P2) mat safety glass



Colour: DECOR AnTeak Decorative motif: stainless steel Pull: P5 Glass: 44.2(P2) mat safety glass

002



Colour: RAL 7047 mat structure Decorative motif: stainless steel Pull: P5 Glass: Stopsol grey

005







003

Colour: DECOR Titanium
Decorative motif: stainless steel
Pull: Q10 40x40
Glass: 44.2 (P2) mat safety glass

016

Colour: HI Modern Graphite
Decorative motif: stainless steel
Pull: P5
Glass: 44.2 (P2) mat safety glass

006

Colour: DECOR Titanium
Decorative motif: stainless steel
Pull: P5
Glass: 44.2 (P2) mat safety glass

017

Colour: HI Modern Graphite
Decorative motif: DECOR Titanium
Pull: Arco 01
Glass: 44.2 (P2) mat safety glass





Colour: HI Smoke Green Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

029

Colour: HI Comfort Grey Decorative motif: stainless steel Pull: Q10 40x40 Glass: 44.2 (P2) mat safety glass



Colour: RAL 7024 mat structure Decorative motif: Modern Black RAL 9005 mat structure Pull: P5 Glass: Stopsol grey



027

Colour: RAL 3000 mat structure Decorative motif: stainless steel Pull: P5 Glass: Stopsol grey







030

Colour: DECOR Wenge Decorative motif: stainless steel Pull: P5

Glass: 44.2 (P2) mat safety glass

025

Colour: DECOR Walnut Decorative motif: stainless steel Pull: P5 Glass: 44.2 (P2) mat safety glass

007

Colour: RAL 7006 mat structure Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2 (P2) mat safety glass

031

Colour: RAL 7047 mat structure Decorative motif: stainless steel Pull: Q10 40x20 Glass: 44.2 (P2) mat safety glass



Winchester film coating
Decorative motif: stainless steel
Pull: P10
Glass: 44.2 (P2), mat safety glass

Colour: RAL 3003 mat structure Pull: Q45RX Glass: 44.2 (P2), mat safety glass 039

Colour: Decor Ebony Pull: P5 Glass: Stopsol grey



Colour: RAL 7037 mat structure Pull: P5 Glass: Stopsol grey









036

Colour: RAL 6012 mat structure Pull: P5 Glass: 44.2 (P2), mat safety glass

034

Colour: DECOR Pinia Oak Pull: P5 Glass: 44.2 (P2), mat safety glass


Colour: HI Comfort Grey Pull: P5

Glass: 44.2 (P2), mat safety glass

Colour: Modern Black RAL9005 mat structure Decorative motif: stainless steel Pull: P5

Glass: 44.2 (P2), mat safety glass

NOVA door accessories



3D hinges - in the colour of the painted opening frame or silver colour (doors in DECOR colours)




Anti-burglary bolts



Door closer concealed in the door leaf with a position lock - option



Door closer concealed in the door leaf - option



Thick rebate




Stainless steel decorative motif or in DECOR and RAL mat structure colours



UniLock reader (includes 3 security devices: fingerprint scanner, code keypad, RFID)

- option





Single-channel fingerprint scanner, code keypad, and RFID reader - option


Lock types




Three-point automatic lock with deadbolt latches



Autotronic three-point motorized lock with a child safety lock - option



Microswitch - option



Day latch function buttons – internal and outdoor



Pull collection



^{(1) –} The pull is also available with a microswitch feature.

Handle collection



PROFILO 04100x20 mm
1,200/1,600/2,000 mm (1)



Standard colour: stainless steel oblong cover plate



Denver colour: stainless steel oblong cover plate







split cover plate







Diana
colour: black anodized, inox
split cover plate

RC class





Sidelights, toplights

Sidelights / toplights used in the NOVA doors are elements in separate frames.



Right sidelight (PD)



Left sidelight (LD)



Right and left sidelight (PD+LD)



Right sidelight + toplight (PD+GD)



Left sidelight + toplight (LD+GD)



Right sidelight + left sidelight + toplight (PD+LD+GD)



Toplight (GD)

Glass types



44.2 (P2) mat safety glass



44.2 (P2) safety glass



Stopsol brown



Stopsol grey



33.1 (2B2) mat⁽¹⁾



33.1 (2B2)⁽¹⁾



44.4 (P4) anti-burglary glass



Two-way mirror

Due to technical reasons, actual colours of glass panes may differ from those represented in the photographs. Please consult the dealer upon purchase.

(i) – Glass only available in sidelights and toplights.

A feast of colours

Colour is the first feature our senses react to. We made every effort to ensure that the colour palette of WIŚNIOWSKI external doors should cater to even the most sophisticated tastes.

Different finishing technologies provide a unique look to the CREO, DECO, and NOVA doors. Mat structure colours from the RAL and DECOR palettes provide exceptional visual effects, while film coating makes it possible to obtain a wood-effect structure.

Create your individual colour composition to match both your interior and façade design. Open up to new possibilities. Embrace the colours.



BICOLOUR

Thanks to the bicolour mat structure painting option for the door, the colour of the CREO door can be different inside and outside.

Mat structure colours, DECOR and film coatings.

Standard colours

(mat structure)



Film coatings

Film coatings available for the CREO, DECO, and NOVA door collections(1).



Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

^{(1) –} NOVA door available with the following film coatings: Golden Oak 2178001-167, Walnut 2178007-167, Winchester 49240, Anthracite Grey 701605-167, Woodec Turner Oak Malt F4703001, Dark Grey Silk F436-7003, Natural Oak 3118076-168, Dark Oak 2052089-167, Sapeli 2065021-167, Anteak 3241002-195, Silver Grey (silbergrau) 715505-167, Black Ulti-Mat 47097, Woodec Turner Oak Toffe F4703004, Anthracite Grau F4706003, Anthracite Quartz Mat F4701014. When wood effect film coating is selected, a 15 mm stainless steel edge will be provided on both sides around the glass on the inside and outside of the leaf.



DECOR colours



Special colours

(mat structure)



Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

 $^{^{\}left(1\right) }$ – The Bicolour option available for the CREO doors.



Special colours

(mat structure)



Home Inclusive 2.0 colours

HIEARTH



Due to technical reasons, actual colours may differ from those represented in the pictures and photographs. Please consult the dealer upon purchase.

HI MODERN MAROON

HI DEEP BROWN

HI FLAME RED

NEW! COLOURS

The Home Inclusive 2.0 colour collection

HOME Inclusive^{2.0} Add exceptional character to your property with the unique depth effect of the HI 2.0 colours.



Access control systems



Code keypad, single-channel



Two-channel proximity reader



Single-channel fingerprint scanner



Single-channel UniLock reader
– fingerprint scanner, code keypad and RFID
in a single device



RFID reader



Sensor



Two-channel fingerprint scanner with the "guest" feature.



Two-channel code keypad



Electronic spy hole with a doorbell, memory card, and infrared photo camera with motion detection



Four-channel remote control



Day latch activation button – in black colour



Wireless door bell, compatible with the two-channel code keypad








TREAT YOURSELE TO COMFORT

AND SAFETY

- Control your garage doors, gates, windows, doors, and roller shutters remotely.
- Open garage doors and gates without touching your remote.
- Manage your home via a voice assistant.





SmartCONNECTED brings the CREO and DECO doors with an electric lock to the next stage of product development and makes it possible to tailor them to the requirements of increasingly demanding customers. On the one hand, it makes it possible to control the devices with a smartphone, and on the other, it gives the users full control and lets them stay in touch with their home from any place in the world.

io-homecontrol® makes it possible wireless connection of the CREO door with the electric lock and the Somfy radio system to the smart home sys-

EV WISNIOWSKI

tem controlled by the WIŚNIOWSKI smartCONNECTED Box and Somfy TaHoma Switch central control units. Building a comprehensive smart home provides a number of benefits and additional features that enhance your comfort every single day.







































Let us inspire you

in your search for new solutions!

WIŚNIOWSKI doors protect access to your home and improve its appeal not only from the front. To ensure comprehensive safety and create a visually cohesive effect, we prepared a range of technical doors, side doors matching the garage door, and patio doors. Discover how much we can offer you. **WIŚNIOWSKI. Garage doors, windows, doors, gates, fences.**

It's great when everything goes together perfectly...

because harmony is the highest form of beauty. Choose your **garage door, windows**, and **shutters**, as well as **doors** and **fence** in the Home Inclusive™ system, which will create a matching set in terms of design and colour. Highlight this harmony with the smartCONNECTED smart control function and meet perfection that will never go out of fashion. A matching set of joinery and fence? From a single manufacturer in uniform design – because it is great when all the elements harmonize with your dreams, your home, and one another.





LET US INSPIRE YOU WITH OUR NEW HOME INCLUSIVE COLLECTION FEATURING 16 UNIG

HI EARTH

HI QUARTZ GREY







HI ANTHRACITE





UE COLOURS!









WIŚNIOWSKI

GATES | WINDOWS | DOORS | FENCES



DISCOVER **MORE...**



www.wisniowski.eu

The products shown in the photographic material often feature special equipment and do not always correspond to their standard versions • This brochure does not constitute an offer within the meaning of the Polish Civil Code. • The manufacturer reserves the right to introduce changes without notice. • NOTE: The colours shown in this brochure are for reference only • All rights reserved • Copying and use, in part or in full, is prohibited without the consent of WIŚNIOWSKI Sp. z o.o. S.K.A. • 09/22/EN